



Nothing equals the beauty of nature in our surroundings as much as people. Eyes are the mirror to the soul, lips speak the deepest thoughts. A face expresses on the outside what lives within you. It shows your true nature.

De Ryck decorative stones and strips recreate that nature, both in the environmental as in the human sense of the word. With products as though straight from nature, we build walls that are faces, not just facades. This is a very individual and personal task, and depending on your wishes and options, one which we will gladly guide you through professionally.

Natural and true to your nature.

## Decorative stones for the in- and outside of your home

A unique expertise,  
a new impetus

It is more than half a century since De Ryck created its first stones.  
Now in 2010, this universally respected brand begins  
an exciting new chapter.

Its integration into the Weser Group gives new impetus, whilst  
maintaining the tradition for quality that has become synonymous  
with the De Ryck name.



# Natural ...

All our stones are made from 100% natural ingredients. The finest sands, the whitest cement, slivers of shell and quartz, ... are combined to become a new reconstituted material, sharing the same natural beauty and quality as the products it was made from; but in addition, it is optimised in terms of durability and functionality.

We take nature to the next level by combining materials and creating colours, bringing to life a range of stone products in a range almost wider than nature could produce. This offers a variety of options especially created to give your home the unique atmosphere you desire it to have.

TRUE to nature





## and true to nature

Being true to nature begins with respecting the environment - sustainability. We take great care and pride in using entirely natural components, using what nature has given us, and making sure no original qualities are lost during the production process. We use as many renewable natural resources as possible to give De Ryck stone products that natural look, feel and beauty, but also to create products which are healthy for both you and our natural environment. Because that's what it takes to be genuinely true to nature.







## Simplicity and expert support

Think of De Ryck decorative stones as long-lasting, solid wallpaper. They don't occupy a lot of space, they don't weigh much, and installing is quick as well as easy.

It starts with the product; simply natural and sincere, and practical in use. In addition, De Ryck manufactures all adhesives and accessory products for professional fitting.

We give you a thorough explanation before you start.

Consult our on line manual on [www.deryckstoneproducts.com](http://www.deryckstoneproducts.com)

And of course our advisors are happy to answer all your questions.



You love an authentic finish.  
You want your dreams to match your means.  
You want the freedom but not the hassle of DIY.  
And what if normal bricks are too heavy or take up too much space?

No matter what style or colour you have in mind for your home, whether you wish to decorate or renovate the interior or exterior, De Ryck decorative stone products respond to all your needs.

Three types of brick strips come in so many different colours that you'll find exactly what you want. Our natural stone range boasts an even wider variety of shapes, sizes and colours. Browse through our catalogue and you will see how De Ryck decorative stone products turn a facade into a face, a house into a home.



Create your own natural environment  
and feel familiarly at home



# De Ryck by Weser

## Natural stone effect



Murok Classic

p. 10



Murok Rustic

p. 14



Murok Sierra

p. 18



Murok Belmonte

p. 22



Murok Montana

p. 26



Murok Strato

p. 30

## Brick strip collection



Interfix

p. 34



Granulit 20-30

p. 38



Granulit 50

p. 42

## Accessories

Adhesives and application products

p. 46

# Murok Classic

Imagine walking in the gardens of Paris, strolling along boulevards, not merely visiting the city of the big monuments, but breathing its lifestyle and stylishness. That is where you will encounter houses that combine an almost noble elegance with a very comforting warm and homelike feel, not subject it seems, to time nor storms.

The Murok Classic recreates that atmosphere. This French stone with a soft yet non-smooth surface, an authentic structure and natural colours, is as versatile as it is beautiful. In an ever modest but always stylish way, it adds distinction, and at the same time radiates a familiar feel to both the interior and exterior of your house. It's a classic.



**M10**  
off-white



**M20**  
off-white



*Both with left or right corner pieces.  
Packed in handy boxes of 0.5 m<sup>2</sup>*

**APPLICATION**

*Easy to apply with Cemix Uniflex mortar.  
Fill the joints with white or grey Cemix Unijoint joint-filler.*

**SIZES**

*200x100x15 mm, 400x200x15 mm*



Murok Classic

# Murok Classic





# Murok Rustic

The colours of the forest in autumn. Wild pigs roam hilly slopes, deer attempt to evade hunters. You walk through the villages, which are so characteristic of the area. You dwell or live in a house which is entirely in harmony with its surroundings only because it has been built from the natural materials that can be found there.

The Murok Rustic is entirely inspired by these surroundings to create an atmosphere of snugness and soothing silence which you will only find in nature. This stone shares the warmth of your family and friends around the fireplace in the evenings, and makes an ideal setting for precious moments.



Packed in boxes of 0.7 m<sup>2</sup> consisting of 6 slabs.  
Corners are available in boxes per running metre.

#### APPLICATION

Easy to break the slabs along the separation lines. Place the stones one by one to recreate the authentic character. Apply with Cemix Uniflex adhesive mortar.

Fill the joints with white or grey Cemix Unijoint joint-filler.

#### SIZES

Irregular sizes



Murok Rustic

# Murok Rustic



M93-M94-M95



M93-M94-M95



M94



M94-M96



M95



M92



M92

# Murok Sierra

Rugged coasts, rough hills and stark mountains, but also fields of lavender waving in the wind, and a gorgeous summer climate reflect the beauty and the wildness of Europe's Mediterranean sierra. Nature in its purest form.

Sierra means a chain of hills and mountains, the peaks of which suggest the teeth of a saw, a feature you will immediately recognize in the Murok Sierra. You will find the craggy capricious profiles of steep mountains in this stone, but also the unrivalled beauty you can only find in that southern natural state.

**M40**  
white



**M46**  
red




**M43**  
beige-green



**M47**  
yellow



**M44**  
grey



**M48**  
brown-red



Packed in boxes of 0.5 m<sup>2</sup>  
Corners are available in boxes per  
running metre.

#### APPLICATION

Apply one by one, according to your own taste and imagination, starting with the larger stones. Can be used without filling the joints or with white or grey Cemix Unijoint joint-filler.

#### SIZES

Irregular sizes



# Murok Sierra



M40



M43



M43





M43



M43

# Murok Belmonte

Rolling hills clad with vines. The snugest squares in quaint old towns. The terraces are in place, a glass of chardonnay or pinot noir at hand.

As a grape in the vines of Burgundy shelters a world of flavour and colour, the Murok Belmonte evokes the genuine and rustic atmosphere of the countryside where life is enjoyed to the utmost. It recreates this warmth and beauty in the interior of your home. Or outside of course, because De Ryck decorative stone can be used both ways.



**M70**  
off-white




*Packed in boxes of 0.56 m<sup>2</sup>*

**APPLICATION**

*Easy to apply with Cemix Uniflex mortar  
Fill the joints with white or grey Cemix  
Unijoint joint-filler.*

**SIZES**

*Height: 11 cm  
Irregular length sizes*



Murok Belmonte

# Murok Belmonte





SOLID AS A ROCK, ELEGANT AS A MOUNTAIN TOP

# Murok Montana

High above cities and fertile valleys tower rocky, snow-capped mountains. Conditions are harsh here: heat and cold, wind and ice reign. Anyone trespassing on this land must be prepared to withstand the elements. As do the natural materials you can find here.

Just like the mountains, this stonework needs no pointing to be fully waterproof. The Murok Montana has the rough look of mountain rocks and shares their characteristic strength. At the same time De Ryck has adapted the stone to create a unique atmosphere both within and outside your home. A warm haven after a day of alpine harshness.


**M34**  
beige



**M37**  
yellow-red



**M35**  
grey



**M36**  
rust coloured



*Packed in boxes of 0.54 m<sup>2</sup>  
Corner and finishing pieces available  
per running metre, including 5 strips of  
30x5 cm to make an easier match.*

**APPLICATION**

*Apply with Cemix Uniflex adhesive mortar  
on outdoor walls.*

**SIZES**

*2 sizes : 47x10 cm, 17x10 cm*



Murok Montana

# Murok Montana





# Murok Strato

Whether you want to recreate the ambiance of a Berliner loft or to liven up a contemporary home front, Strato will be the expression of your creativity. This stone, whose texture expresses a strong minerality, will marry with all materials used in modern decoration and will be integrated to perfection in a decoration with stripped lines.

The geometrical cutting of the Strato elements is the ideal counterpoint of the purified forms of the contemporary art.

Their adjusted sharp joint assembly, synonym of modernity, allows creating panels on which the beams from down-lighting will come to cling to form a multitude of luminous keys.



**M89**  
grey



*Packed in handy boxes of 0.5m<sup>2</sup>*

**APPLICATION**

*Easy to apply alongside by dragging the slabs on the diagonally  
For a successful installation, carefully observe the horizontal alignment of parts.*

**SIZES**

*Height : 5 cm  
Irregular length sizes*



Murok Strato

# Murok Strato





# Interfix

It is that rural atmosphere you very often find near coastlines, in places where agriculture still thrives, where farms provide the landscape with natural elements attracting people from towns and cities to come and live in the rural tranquillity of the countryside. With the sea close at hand.

Interfix is one of the most versatile of all brick strips. By choosing colour and method of placement it can provide the perfect, fitting character to both the interior and exterior of your home in forms which are often an architectural patchwork. Next to being that versatile, Interfix is extremely thin, only 7 mm, making it even easier to use. No extra pointing is necessary. Simply smooth the adhesive into the joints.




*Packed in handy boxes of 1 m<sup>2</sup> with instructions.  
Corners available.*

#### **APPLICATION**

*Apply with the recommended glue, ready-for-use interFIX paste.  
Smooth out the adhesive into the joints.*

#### **SIZES**

*205x50x7 mm*



Interfix

# Interfix



IF11

IF13



IF17



IF13



IF11



IF16



IF12-IF17

DURABLE AND SOLID,  
PERFECTLY SUITED FOR INDOOR AND OUTDOOR LIFE

# Granulit 20-30

Haystacks and meadows, ponds and willows, the countryside is coloured with a wide variety of landscapes in which nature, in a way, still prevails. No major towns but small thriving centres, no big industries but plenty of industrious people.

The Granulit 20 and 30 series seem to feel entirely at home in areas such as these. The strength of the people living there is reflected in the character of these brick strips: solid, perfectly weather resistant and fireproof, they are excellent partners to build a snug and safe haven.




Packed in handy boxes of 1 m<sup>2</sup> with instructions.  
Corners available.

#### APPLICATION

Easy to apply with Cemix Uniflex adhesive mortar. Fill the joints with white or grey Cemix Unijoint joint-filler.

#### SIZES

210x50x11 mm



Granulit 20-30

# Granulit 20-30



G27



G27



G28



G25



G21



G28



G28



# Granulit 50

The heart of Flanders cherishes a long tradition of brick-making. The clay of the steep banks of meandering rivers was, and still is, used to kiln-bake bricks that are premium building materials.

That old tradition lives on in today's Granulit 50, its size following ancient Flemish customs for optimum strength and stability. The variation in colour and texture gives these brick strips a unique and authentic character, giving a house that definitive homy feel of a place which seems to have always been there.



*Packed in handy boxes of 1 m<sup>2</sup> with instructions.  
Corners available.*

**APPLICATION**

*The strips can be broken to accentuate an antique, rustic style. Easy to apply with Cemix Uniflex mortar. Fill the joints with white or grey Cemix Unijoint joint-filler.*

**SIZES**

*210x60x15 mm*



Granulit 50

# Granulit 50





G57



G52



G53



G57

# Instructions

- For application on special surfaces or onto wall-front installation, consult with Weser's technical service.
- Work at a temperature of 5° to 30°C.
- Use the appropriate De Ryck adhesives and installation products.



The surface must be consistent, flat and clean. It must be dry and free of grease. If the surface is porous then apply first a layer of Cemix Primer. Allow to dry for 2 hours then you can begin.



Section off the wall in areas for about five brick strips. Allow 1 cm for the joint. Within these sections you can work by sight.



Apply the adhesive in sections of 0.5 m<sup>2</sup> so it doesn't dry before you fix the brick slips. It is best to work going down, avoiding stains from spotting and spilling.



Start by making ribs in the glue with a notched spatula (6 mm for interFix, 8 mm for Granulit and 10 mm for Murok and Interock).



Then apply the brick strips in a sliding motion. Always start with the corners and mix strips from different boxes.



For the heavier stone products of the series (Murok and Interock) installation with the buttering-float technique is necessary. This means that the glue must be applied on the back of the slips as well as on the wall surface.



In this way you can monitor whether the strips are firmly fixed to the wall.



To size the strips as needed, saw them or notch them in the back and then break along the line.




Put cut pieces together in a way to preserve the rustic character.



Filling joints is done with Cemix Unijoint which is mixed with water. In the right proportion the mix is still a bit rough, sticky and on the dry side. Keep using the same proportion of water to avoid colour variations.



Apply the joint-filling mortar with a traditional pointing trowel and sweep clean with one stroke. The vertical joints are usually a bit smaller than the horizontal joints.



Clean away the extra mortar with a stiff dry brush before it has completely dried.



Interfix joints can be filled in the traditional manner. Or the Interfix glue can be stroked smooth in the joint. Do this with a damp finishing brush, such that the glue seals with the edge of the strip.



Outside walls should always be sealed with Silifin. The wall must be completely dry before you apply the Silifin with a brush until thoroughly covered.

Personal and professional guidance means helping your customers throughout the entire building process. That is why De Ryck decorative stone has developed a specific range of accessories with all the necessary tools for professional installation.

Because the final result depends largely on the materials used, we can only guarantee our products if De Ryck accessory products are used.

Beyond the aesthetics, it is important that the characteristics and the quality of the products enable the work to traverse the years without deterioration, without losing its original appearance. However, it is normal that the colours patinate with the wire of time, just like occurs with natural stone.

De Ryck facings are manufactured with the greatest care in our manufacturing facilities and are subject to rigorous controls. However, it is necessary to follow the recommendations of installation and jointing in order to guarantee the integrity of the cladding. For a harmonious distribution, it is highly recommended to mix the products by simultaneously using contents of several boxes. You will thus ensure a perfect realization.

## Accessories

For **Murok** and **Granulit** (outside use)

- Cemix Uniflex adhesive mortar
- Cemix Uni-joint joint-filler

For **Interfix**:

- Adhesive paste (inside and outside use)

For **all products**:

- CEMIX primer
- Silifin sealer